

To jest stronka SIDEBAR

indexmenu.js

- [Android](#)
- [ARM](#)
- [auto](#)
- [Buildroot](#)
- [calculations](#)
- [cctv](#)
- [Data recovery](#)
- [Dokuwiki](#)
- [dreambox](#)
- [elec](#)
- [embedded](#)
- [GCC](#)
- [GIT](#)
- [home_automation](#)
- [hw](#)
- [LDAP](#)
- [linux](#)
- [makefile](#)
- [network](#)
- [Programming Language](#)
- [przepisy](#)
- [qt5](#)
- [rfid](#)
- [ssl](#)
- [sw](#)
- [U-Boot](#)
- [Ubiquiti](#)
- [VM / Hypervisor](#)
- [wiki](#)
- [Windows](#)
- [WINE](#)
- [Algorithms](#)
- [autoscan](#)
- [DICOM](#)
- [Eclipse](#)
- [GDB](#)
- [navigation](#)
- [Profiling](#)
- [sidebar](#)
- [SVN](#)
- [To jest stronka SIDEBAR](#)

indexmenu 1

- [Android](#)
 - [Versions](#)
 - [build](#)
 - [xiaomi](#)
 - [Redmi Note 4x](#)
 - [Apps - Must have](#)
 - [Booting](#)
 - [dexopt flags](#)
 - [developer_options](#)
 - [Tools to disable services](#)
 - [enable show touches from adb](#)
 - [HTC M8S](#)
 - [package_manager](#)
 - [Redmi 2 Pro](#)
 - [Asus X014D FRP](#)
 - [Slack downgrade](#)
 - [system](#)
 - [Markets](#)
 - [Modules](#)
- [ARM](#)
 - [Cortex-M](#)
- [auto](#)
 - [peugeot](#)
 - [Diagbox](#)
- [Buildroot](#)
 - [packages](#)
 - [python](#)
 - [br2_external](#)
 - [init](#)
 - [Issues](#)
 - [Make targets](#)
 - [Auto override](#)
- [calculations](#)
 - [CRC](#)
 - [Electronics](#)
 - [financial](#)
 - [HVAC](#)
 - [Hydraulic](#)
- [cctv](#)
 - [Software NVR](#)
 - [Hikvision](#)
 - [Cameras](#)
 - [DS-2CD2347G2-LU](#)
 - [options](#)
 - [NVR](#)
 - [DS-7616NXI-K1](#)
 - [Issues](#)
 - [Alarms](#)

- Hik-connect
- iVMS-4200
- RTSP streams
- Snapshots
- HiTools
- Web UI
- Zone Minder
 - IP Cameras
- Data recovery
 - EXT4
 - EXT4 errors
 - bad sectors
 - GRUB rescue
 - Thin LVM and badblock
 - NTFS
 - safecopy
 - undelete
- Dokuwiki
 - Themes
- dreambox
 - NBOX
 - DuckBox
 - Graterlia
 - kernel
 - OpenPli
 - Overclocking
 - Pilot
 - U-Boot 1.3.1 053
 - Performance
 - OSCAMs
 - 1813
 - AU
 - OSCAM config files
 - Channel Lists
 - ci
 - DM800...
 - DM8000HD PVR
 - enigma2
 - GP3
 - IPTVPlayer
 - mgcamd
 - SmartCard
- elec
 - led
 - Ceiling LED light box driver
 - Charging voltage
 - With ceramic antenna
 - NE 555
 - Electronic Software
- embedded
 - fwu

- stm32
 - STM32 CRC
- GCC
 - linker
- GIT
 - Gitlab
 - Gitlab CI
 - CI Issues
 - Pages
 - Pages on 2nd IP
 - Docker registry
 - Duplicate uploads issue
 - Gitlab runner
 - custom executor
 - docker executor
 - Shell executor
 - Gitlab backup
 - Components
 - Gitlab issues
 - Gitlab in LXC
 - Gitlab maintenance
 - Gitlab move to new instance
 - Issues
 - safe.directory
 - chery-pick
 - credentials store
 - diff
 - Gitolite
 - merge
 - own diff/mergetool
 - patch
 - signing git commits
 - Rewrite history
 - Split or merge repos
 - staging
 - submodules
 - TIG
- home_automation
 - domoticz
 - build
 - Maintenance
 - Raspbian installation
 - ESP32
 - ADC
 - esp8266
 - ESP Easy
 - rules
 - hw
 - Gosund SP111 Smart Plug
 - calibrate
 - Gosund SP111 HLW8012

- Sonoff Basic
 - Flashing firmware
 - General info
 - NodeMCU
 - Reverse Engineering
 - Sleep Modes
 - issues
 - Modules versions
 - WS2812
 - ESPHome
 - Icons
 - Home Assistant
 - Climate control
 - automations
 - IR codes
 - SmartIR climate control
 - integrations
 - OpenWeather
 - recorder
 - SSH
 - cli
 - HASSIO
 - Howto
 - HA in Proxmox VM
 - HA in Proxmox LXC
 - MQTT
 - HA in VirtualBox
 - Zigbee
 - Raspberry 1 pinout
 - Reduce SD Card wearing
 - Hardware
 - Zigbee2MQTT
 - Ansible role
 - Zigbee2MQTT in LXC
 - clouds
 - Devices
 - HACS: Home Assistant Community Store
 - Sensors
 - Wireless M-Bus
- hw
 - GT06 GPS Tracker
 - SMS commands
 - Protocol
 - Description
 - Power consumption
 - Similar devices
 - Console output
 - hoymiles
 - Hoymiles DTU
 - Zyxel NSA310
 - Debian

- Latest 5.8 Kernel
- Encrypted FS
- p910nd print server
- Zyxel NSA310 on PoE
- Serial console
- U-Boot
- Powerline
 - Medion Powerline 500
- server
 - Disk matrix
 - Dell PowerVault MD3000
 - serial console
 - Dell PowerVault
 - Dell PowerVault Hints
 - HP ProLiant DL380e Gen8
 - p822
 - P822 firmware update
 - ssacli
 - ssacli under Debian
 - BIOS
 - cciss-vol-status
 - hponcfg
 - issues
 - switch
 - Dell PowerConnect B 8000
 - cli
 - bootlog
 - cmsh
 - help
 - SFP+
 - B 8000 WebUI
 - CRS317-1G-16S+RM
 - Emulex OCe11102
 - Dell
 - Dell PowerEdge R720
 - FS servers
 - HP
 - Power consumption
 - RAID
 - SAS
 - Server with disk matrix
 - Terminals
- ups
 - apc
 - AP9617 Management card
- xiaomi
 - Xiaomi Air Purifier
 - MiHome app
 - Token extraction
- Xiaomi Mi Robot (Mija)
 - domoticz

- Mi Robot Vacuum
- Software API
- python-miio
- sound_pack
- 1st generation
- yi
 - YI 1080p Home Camera
 - YI Dome Guard
- Zyxel NAS326
 - Zyxel NAS326 Issues
 - NFS
- APS-XVR-1S08-5MP
- Claber Aqua Magic Timer
- RDA6625 GSM Front-end
- Haier Tundra Air Conditioning
- HDD
- Intel NUC
- LENOVO Legion 5 17ACH6
- Lenovo Thinkpad X200S
- Olympus VN-4100PC dictaphone
- QNAP TS-228
- Wireless Headphones Sennheiser RS165
- Sony Alpha 200
- TC TCL 65C815
- USB Watchdog
- VIA VL805 chipset
- VIOFO A199S
- WiFi endoscope camera
- xiaomi_amazfit_pace
- LDAP
 - Basic query
 - LDAP for Next Cloud
 - Utils
- linux
 - backup
 - duplicity
 - compare backups
 - Duply
 - Issues
 - Restore duplicity
 - backupninja
 - Databases
 - luks
 - Backup SW
 - Bash
 - BASH: Error handling
 - Bluetooth
 - Advertisement
 - BCM20702A0 based USB dongles
 - bluez
 - GATT Caching

- Enable pr_debug
 - Databases
 - postgresql
 - backup
 - issues
 - postgresql tuning
 - Upgrade to 13
 - Docker
 - docker-compose.yml
 - issues
 - Dockerfile
 - Optimization
 - issues
 - stderr: Ichown invalid argument
 - Networking
 - firewall
 - Inside docker
 - apparmor profile
 - dockerd
 - Host access from container
 - docker image
 - Kubernetes
 - Logging
 - Scripts
 - Storage
 - Ubuntu 12
 - Ubuntu 16
 - Volumes
- DVB-T
 - SDR
- email
 - Copy/move/synch IMAP account
- exim
 - EXIM config
 - Generate keypair
 - Issues
- fs
 - BTRFS
 - Ext2 Conversion
 - btrfs check
 - BTRFS compression
 - BTRFS deduplication
 - ! BTRFS Hints
 - BTRFS Issues
 - BTRFS Maintenance scripts
 - Snapshots
 - SSD or SAN
 - BTRFS subvolumes
 - SWAP on Btrfs
 - HDD on SSD caching
 - DM-cache LVMcache

- [ZFS](#)
 - [issues](#)
 - [PANIC: rpool: blkptr at 00000000a44c5bb3 DVA 0 has invalid OFFSET 1838816765583276288](#)
 - [zdb_blkptr_cb: Got error 52 reading](#)
 - [ZFS snapshots](#)
 - [ZFS compresison](#)
 - [ZFS Deduplication](#)
 - [dRAID](#)
 - [ZFS Encryption](#)
 - [ZFS monitoring](#)
 - [Mountpoints](#)
 - [Move root to ZFS](#)
 - [RAIDZ](#)
 - [ZFS disc replace](#)
 - [ZFS: resize zpool](#)
 - [swap on ZFS](#)
 - [ZFS performance tuning tips](#)
 - [zpool upgrade](#)
- [benchmark](#)
- [BTRFS as root filesystem](#)
- [BTRFS as root \(LVM and raid\)](#)
- [BTRFS on multiple devices](#)
- [BTRFS vs EXT4](#)
- [BTRFS vs ZFS](#)
- [EXT4](#)
- [File level encryption](#)
- [LUKS on LVM vs LVM on LUKS](#)
- [UBI and UBIFS](#)
- [General](#)
 - [APT](#)
 - [issues](#)
 - [Key is stored in legacy trusted.gpg keyring](#)
- [kernel](#)
 - [Bugs](#)
 - [debian](#)
 - [Enable DEBUG flag](#)
 - [module_assistant](#)
 - [OOM](#)
 - [sysctl](#)
 - [sysrq](#)
- [LXC](#)
 - [LXC Issues](#)
 - [Unified CGroups](#)
 - [mirrors](#)
- [mail](#)
 - [EXIM](#)
 - [exim commandline](#)
 - [deliver to remote SMTP](#)
 - [Postfix](#)
 - [Relay to external SMTP server](#)

- ESMTP
- MSMTP
- multimedia
 - Movie
 - x265 encoding
 - Quality offered by codecs
 - camera
 - Audio
 - Convert to JPG
 - Split FLAC CUE
 - PDF
- OpenVPN
 - OpenVPN in Docker
 - Issues
 - Performance
 - Proxy ARP
 - Headline
 - scripts
- OpenWRT
 - wifi
 - WiFi "MESH"
 - nodogsplash
 - OpenWRT's OpenVPN
- Linux/Prepare
 - Linux/Prepare
 - Firefox
 - bracketed paste mode
 - Console
 - perl: warning: Setting locale failed.
 - Logitech wireless mouse/trackball
 - Network Manager
 - X Window system
 - Disable rolling up windows
- RTL-SDR
 - SW
 - CubicSDR
 - gnss-sdr
 - gqrx
 - HDRSdr
 - rtl_433
 - SDRSharp
 - SigDigger
 - BA5SBA SDR-RTL
 - blacklist DVB tuner modules
 - Frequencies
- sudo
 - sudoers
- SW
 - dhcp
 - isc-dhcp-server
 - Rogue server detection

- [Midnight Commander](#)
 - [mc.ext.ini](#)
- [bind DNS system](#)
 - [reverse zone](#)
- [Network UPS Tools](#)
 - [nut-cgi](#)
 - [NUT with SNMP UPS](#)
- [OpenProject](#)
 - [Migration from 9 to 10](#)
- [iperf](#)
- [Upgrade nodejs using npm](#)
- [reportbug](#)
- [rsyslog](#)
- [Samba](#)
- [Slack-desktop](#)
- [tor](#)
- [systemd](#)
 - [Assigning stderr priorities](#)
 - [timers](#)
- [vpn](#)
 - [Wireguard](#)
 - [gui](#)
- [Alsa](#)
- [Clamav](#)
- [sys interface](#)
- [CUPS](#)
- [dovecot](#)
- [How to open files with extensions](#)
- [fstab](#)
- [to smaller disc with GPT](#)
- [GRUB](#)
- [hostapd](#)
- [Shell](#)
- [Share internet](#)
- [Installation](#)
- [microcode](#)
- [Logging configuration](#)
- [NTP](#)
- [nvidia](#)
- [nvme-cli](#)
- [NX compression protocol](#)
- [perf](#)
- [ppp](#)
- [Heap](#)
- [Pulse Audio](#)
- [RADEON](#)
- [rsync](#)
- [SANE](#)
- [fail2ban](#)
- [General](#)
- [serial_port_rts](#)

- Spamassassin
- udevadm
- update-mime-database
- makefile
 - CMake
 - warning: jobserver unavailable
- network
 - switches
 - Cisco Switches
 - CLI
 - FW Update
 - ROMMON
 - WS-C3560G
 - wifi
 - WiFi WPA Enterprise
 - Freeradius certificate
 - Fibers
 - IPSec
 - IPv6
 - Mikrotik
- Programming Language
 - C
 - atomic
 - Ceedling
 - External sources
 - macros
 - Cross platform format string
 - Unity
 - GO
 - lang
 - length of string
 - API emitters
 - stack traces
 - Installation
 - LUA
 - jit
 - file
 - Package search path
 - Tracing
 - math
 - LUA Metatables
 - volatile modules
 - Avoid globals
 - escape special characters for pattern matching
 - Protocol
 - rock
 - Quotes
 - Turbo LUA
 - Python
 - Install
 - Multiple python versions

- [Packaging](#)
- [pip](#)
- [react](#)
 - [Using JQuery with react](#)
 - [React](#)
- [JS](#)
 - [Makefile](#)
 - [MCUs](#)
- [przepisy](#)
 - [alkohole](#)
 - [Cytrynówka](#)
 - [Miodula](#)
 - [ciasta](#)
 - [Ciasto dyniowe](#)
 - [Ciasto dyniowe na spodzie](#)
 - [Drożdówka](#)
 - [Drożdówka z posypką](#)
 - [Gofry](#)
 - [Gofry drożdżowe](#)
 - [Gofry ze szpinakiem](#)
 - [piernik](#)
 - [Szybkie pierniczki](#)
 - [Domowe nachos](#)
 - [Gofry w piekarniku](#)
 - [Knedle ze śliwkami](#)
 - [Murzynek](#)
 - [Piernik ucierany](#)
 - [Pierogi](#)
 - [Placki na sodzie](#)
 - [Pływające białka](#)
 - [Racuchy](#)
 - [Rogaliki](#)
 - [Rolada kruchy - drożdżowa z orzechami włoskimi](#)
 - [Wulkan](#)
 - [miesa](#)
 - [Pasztet](#)
 - [Pyzy z mięsem](#)
 - [pieczywo](#)
 - [Domowe bułki do burgerów](#)
 - [Bułeczki drożdżowe](#)
 - [Bułeczki drożdżowe Aški](#)
 - [Bułki pszenne klasyczne](#)
 - [Chleb na zakwasie](#)
 - [ryby](#)
 - [sledzie](#)
 - [Śledzie a'la Milanówek](#)
 - [malze](#)
 - [warzywa](#)
 - [Dynia](#)
 - [wedzenie](#)
 - [Kiełbasa](#)

- Wędzenie ryb
- Szynka wędzona
- [zupy](#)
 - Barszcz czerwony
 - Fasolowa
 - Serwatkowa
- [Kiszona kapusta](#)
- [Naleśniki](#)
- [Placki z cukinii](#)
- [Soczewica](#)
- [qt5](#)
 - Startup parameters
 - QtWidgets/QApplication: No such file or directory
 - New QT Application wizard
- [rfid](#)
 - Proxmark 3
- [ssl](#)
 - RSA keys
 - performance
 - Online checkers
- [sw](#)
 - apt-cacher
 - Issues
 - certbot / letsencrypt
 - certboot inside LXC
 - debuggers
 - Segger
 - J-Link 20 pin connector
 - Segger RTT
 - ejabberd
 - issues
 - ts3 server
 - freepbx
 - Extension
 - Operator Panel
 - GPG
 - gpg-agent forwarding
 - raise trust level
 - Isabel
 - CentOS Linux
 - Jenkins
 - SWARM Plugin
 - Next Cloud
 - desktopclient
 - NC Desktop Client issues
 - Office
 - OnlyOffice
 - fonts
 - Collabora
 - NextCloud's Talk
 - Spreed standalone signaling server

- TURN Server
- Issues
- occ
- webdav
- OPNSense
 - nat
 - dmz
 - NAT reflection
 - boot
 - dnsmasq
 - HOWTO
 - Installation
 - ISSUES
 - Logging
 - Network Cards
 - OPNsense pkg
 - Serial Port
 - Shell
 - Traffic Shaper
- Proxmox Mail Gateway
 - Installation in CT
- reverse_eng
 - ghidra
 - Radare2
- ssh
 - Issues
- UrBackup
 - CLI
 - Vera Crypt
- VS CODE
 - devcontainer
 - Extensions
 - Installation
 - Tips
- WordPress
 - Performance
- yocto
 - Bitbake
 - issues
 - add_watch: cannot watch
 - Operators
 - python packages
 - Tips
 - Variables
 - kernel
 - module
 - meta
 - IMX8
 - Debug
 - icecc
 - POKY scripts

- Shared SSTATE and DL
 - sstate
 - tips
 - Zephyr
 - CMakeLists.txt
 - debug
 - IDE
 - Remove newline character every N lines
 - Bitbucket pipeline
 - Hidden settings
 - diff / patch
 - GIMP
 - Libre Office
 - Sonatype NEXUS
 - OpenOCD
 - OwnCloud
 - KeePass
 - PFSense
 - PyOCD
 - qemu
 - Robot Framework
 - srecord srec_cat
 - Thunderbird (Linux)
 - Zabbix
 - Zimbra
- Ubiquiti
 - Controller
 - In unprivileged LXC
 - In unpriv Proxmox LXC
 - Unifi Controller web interface
 - network
 - WiFi
 - UniFi CloudKey Gen2 Plus
 - protect
 - Console commands
 - U-Boot
 - VM / Hypervisor
 - Proxmox
 - CEPH
 - DB
 - DB adding
 - Move DB to new drive
 - Move DB disks
 - DB usage
 - Issues
 - can't map rbd volume
 - CEPH inline compression
 - Guest performance
 - Move OSDs disks between hosts
 - osd_creation
 - CEPH performance

- CEPH performance monitoring
- Placement Groups
- Rebalance / recovery speed
- Remove failed node
- Replace node
- High Availability
 - Disable fencing
 - Change watchdog
- Issues
 - No DCHPOFFERS received
 - Update 6.2 to 6.3
- KVM
 - Windows Guests
 - Migrate from VirtualBox
 - Disk passthrough
 - GPU passthrough
 - IO thread
 - Shrink VM disc image
 - SPICE
 - virtio drivers
- LXC
 - config file
 - Device access
 - Docker
 - LXC Issues
 - Load Average
 - LXC: Migrate linked clone
 - pct command
 - TUN/TAP/PPP inside unprivileged LXC
- Network planning
 - bond
 - Mesh
 - Open vSwitch
- Proxmox Backup Server
 - restore
 - Restore single disk
 - Unprivileged CT
 - performance
 - Sync last N job
- Storage
 - iSCSI
 - ZFS over iSCSI
- Commandline
- Cluster
- Disaster recovery
- Dockers under Proxmox
- PVE Firewall
- Influxdb2 and Grafana
- On existing Debian
- Use host monitor and keyboard
- Proxmox's ZFS

- Virtualbox
 - Disc
- kvm
- xen
- wiki
 - DokuWiki
 - ebook
 - Formatting Syntax
 - Welcome to your new DokuWiki
- Windows
 - Outlook
 - example headers
 - Windows 10
 - 0x8000FFFF
 - UEFI boot
 - windows_xp
 - Gamersky-WindowsXP_64G_RAM
 - Issues
 - Software RAID
 - Issues and bugs
 - Domain / AD
 - MS Office
 - RDP Wrapper
 - Symlink
 - Windows 7
- WINE
 - irfanview
 - WINE Issues
 - Skype
- Algorithms
- autoscan
- DICOM
- Eclipse
- GDB
- navigation
- Profiling
- sidebar
- To jest stronka SIDEBAR
- SVN

indexmenu 2

- Android
- ARM
- auto
- Buildroot
- calculations
- cctv
- Data recovery

- [Dokuwiki](#)
 - [dreambox](#)
 - [elec](#)
 - [embedded](#)
 - [GCC](#)
 - [GIT](#)
 - [home_automation](#)
 - [hw](#)
 - [LDAP](#)
 - [linux](#)
 - [makefile](#)
 - [network](#)
 - [Programming Language](#)
 - [przepisy](#)
 - [qt5](#)
 - [rfid](#)
 - [ssl](#)
 - [sw](#)
 - [Ubiquiti](#)
 - [U-Boot](#)
 - [VM / Hypervisor](#)
 - [wiki](#)
 - [Windows](#)
 - [WINE](#)
 - [Algorithms](#)
 - [autoscan](#)
 - [DICOM](#)
 - [Eclipse](#)
 - [GDB](#)
 - [navigation](#)
 - [Profiling](#)
 - [sidebar](#)
 - [To jest stronka SIDEBAR](#)
 - [SVN](#)
-

indexmenu 3

- [Android](#)
- [ARM](#)
- [auto](#)
- [Buildroot](#)
- [calculations](#)
- [cctv](#)
- [Data recovery](#)
- [Dokuwiki](#)
- [dreambox](#)
- [elec](#)
- [embedded](#)
- [GCC](#)

- [GIT](#)
 - [home_automation](#)
 - [hw](#)
 - [LDAP](#)
 - [linux](#)
 - [makefile](#)
 - [network](#)
 - [Programming Language](#)
 - [przepisy](#)
 - [qt5](#)
 - [rfid](#)
 - [ssl](#)
 - [sw](#)
 - [Ubiquiti](#)
 - [U-Boot](#)
 - [VM / Hypervisor](#)
 - [wiki](#)
 - [Windows](#)
 - [WINE](#)
 - [Algorithms](#)
 - [autoscan](#)
 - [DICOM](#)
 - [Eclipse](#)
 - [GDB](#)
 - [navigation](#)
 - [Profiling](#)
 - [sidebar](#)
 - [To jest stronka SIDEBAR](#)
 - [SVN](#)
-

nspages

Subnamespaces:

A

- [Android](#)
- [ARM](#)
- [auto](#)

B

- [Buildroot](#)

C

- [calculations](#)
- [cctv](#)

D

- [Data recovery](#)
- [Dokuwiki](#)
- [dreambox](#)

E

- [elec](#)
- [embedded](#)

G

- [GCC](#)
- [GIT](#)

H

- [home_automation](#)
- [hw](#)

L

- [LDAP](#)
- [linux](#)

M

- [makefile](#)

N

- [network](#)

P

- [Programming Language](#)
- [przepisy](#)

Q

- [qt5](#)

R

- [rfid](#)

S

- [ssl](#)
- [sw](#)

U

- [U-Boot](#)
- [Ubiquiti](#)

V

- [VM / Hypervisor](#)

W

- [wiki](#)
- [Windows](#)
- [WINE](#)

Pages in this namespace:

A

- [Algorithms](#)
- [ARM](#)
- [autoscan](#)

C

- [calculations](#)

D

- [Data recovery](#)
- [DICOM](#)

E

- [Eclipse](#)

G

- [GCC](#)
- [GDB](#)

L

- [LDAP](#)

N

- [navigation](#)

P

- [Profiling](#)

P cont.

- [Programming Language](#)

S

- [sidebar](#)
- [SVN](#)

T

- [To jest stronka SIDEBAR](#)

W

- [Windows](#)

simplenavi

- [Android](#)
- [ARM](#)
- [auto](#)
- [Buildroot](#)
- [calculations](#)
- [cctv](#)
- [Data recovery](#)
- [Dokuwiki](#)
- [dreambox](#)
- [elec](#)
- [embedded](#)
- [GCC](#)
- [GIT](#)
- [home_automation](#)
- [hw](#)
- [LDAP](#)
- [linux](#)
- [makefile](#)
- [network](#)
- [Programming Language](#)
- [przepisy](#)
- [qt5](#)
- [rfid](#)
- [ssl](#)
- [sw](#)
- [Ubiquiti](#)
- [U-Boot](#)
- [VM / Hypervisor](#)
- [wiki](#)
- [Windows](#)
- [WINE](#)
- [Algorithms](#)
- [autoscan](#)
- [DICOM](#)
- [Eclipse](#)
- [GDB](#)
- [navigation](#)
- [Profiling](#)
- [sidebar](#)
- **To jest stronka SIDEBAR**
- [SVN](#)

From:

<https://niziak.spox.org/wiki/> - **niziak.spox.org**



Permanent link:

https://niziak.spox.org/wiki/sidebar_test

Last update: **2020/04/14 12:33**