

UrBackup

[My 2 cents summary of urbackup server options BTRFS vs ZFS vs windows-N](#)

Server

- use BTRFS
- Disable Image backups (can be enabled per client/group)
- Server -> Settings -> Advanced -> Run backups with background priority on the clients

Client

Windows

- By default C:\Users is added to Default directories to backup list.
- Additionally smart exclusion list is generated to remove all windows related garbages.
- Also, Included files (with wildcards) list is generated
 - C:\Users\:\Documents*;C:\Users\:\Pictures*;C:\Users\:\Music*;C:\Users\:\Videos*;C:\Users\:\Desktop*
 - NOTE: : character is special UrBackup wildcard character which matches every character except the path separator (/ or \).
 - **ATTENTION:** If inclusion list is not empty **ONLY** files matching inclusion list are backed-up! All not listed are excluded from backup.
 - To add new folder to backup you have to add it in two places:
 - Default directories to backup, e.g: C:\Users;D:\Projects
 - Included files (with wildcards), e.g:
D:\Projects*;C:\Users\:\Documents*;C:\Users\:\...

From:
<https://niziak.spox.org/wiki/> - niziak.spox.org

Permanent link:
<https://niziak.spox.org/wiki/sw:urbackup>

Last update: **2023/06/19 16:30**

